

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

OBSERVATIONS OF THE SEVENTH SATELLITE OF JUPITER.

Plates of the seventh satellite of *Jupiter* have been obtained with the Crossley reflector since August 5th. The plates taken on the nights of August 7th, 8th, and 9th gave the following approximate positions for the satellite, referred to the ephemeris positions of *Jupiter* taken from the American Ephemeris (*Jupiter* being off the edges of the plates):—

Date.	Length of Exposure.	Distance.	Position Angle.
August 7.96	90m	54′.6	289°:7
8.96	90	55 .1	289 .5
9.96	90	55 .6	289 .4

These observations show the satellite to be about a month ahead of the ephemeris computed for it by Dr. Frank E. Ross (L. O. Bulletin, 78).

The satellite is of about the sixteenth photographic magnitude.

Seb. Albrecht.

August 14, 1905.

A CURIOUS ASTRONOMICAL OBSERVATION.

While engaged at the 12-inch telescope, about thirteen minutes before noon, September 19th, I chanced to see a bright object moving in a northeasterly direction in the field of the finder. The telescope being only lightly clamped, I was able to follow the object for about eight or ten seconds, when it was cut off by the dome. Calling to a visitor to move the dome quickly, I attempted to keep the telescope moving with constant speed and direction. On the aperture's clearing again, however, I did not find the object readily. I then noted the position of the telescope: R. A. 14h om, Decl. + 16°.5. It was near R. A. 13h 46m, Decl. + 14°.8, when the slowly moving meteorite was first seen. The time in traversing this estimated path would have been about fifteen or twenty seconds. Hence, roughly, the apparent velocity was only about 10' or 15' per second.

Turning immediately to *Venus*, I noted that the meteorite was somewhat brighter than *Venus*, its intrinsic luster being less, but its apparent area being five or ten times as great.

No trail was seen with certainty; my attention was directed to the nucleus.

Care was taken to determine definitely that the phenomenon was not one of reflected sunlight, etc.

September 23, 1905.

James D. Maddrill.